



# USER'S MANUAL

## MOISTURE DETECTOR

**EU-10046B**

DYNAPOWER INVENTORY NUMBER  
EUB-7-100460000

DYNAPOWER CORPORATION  
85 MEADOWLAND DRIVE  
SOUTH BURLINGTON, VERMONT 05403

PHONE: 802-860-7200

TOLL FREE: 800-292-6792

FAX: 802-652-1371

[www.dynapower.com](http://www.dynapower.com)

[techsupport@dynapower.com](mailto:techsupport@dynapower.com)

CONTENTS

1 ..... Specifications  
2 ..... Description  
3 ..... Terminal Functions

1. SPECIFICATIONS

Input Power ..... 115 Vac, 50/60 Hz  
Input ..... from moisture probe  
Output ..... Form 'C' contact, 5 Amp

## MOISTURE DETECTOR

EUB-7-100460000

### 2. GENERAL DESCRIPTION

The circuit is designed to transfer a relay contact when moisture is sensed on a probe. The probe is a circuit board with traces that are shorted by moisture.

The output of the circuit is a form 'C' relay contact rated a 5 amperes.

A number of probes may be connected in parallel. The circuit is powered by 115 Vac.

### 3. INPUT CONNECTIONS

Terminal	Function
1	115 Vac
2	115 Vac
3	NC
4	Probe
5	Probe
6	Relay Common
7	Relay Normally Open
8	Relay Normally Closed